
DEOJHAR IRON ORE MINES OF M/s. TARINI MINERALS PVT. LTD.



SIX MONTHLY EC COMPLIANCE REPORT

Six Monthly E.C Compliance report for Deojhar Iron Ore Mines Of

M/s. Tarini Minerals Pvt. Ltd.

For the period of

April-2019 to September-2019

A. SPECIFIC CONDITIONS

SL. No.	SPECIFIC CONDITION	COMPLIANCE
1	The applicant (Project Proponent) will take necessary measures for prevention, control and mitigation of Air Pollution, water pollution, noise pollution and land pollution including solid waste management as mentioned by him in Form-I, Final EIA Reports And Environment Management Plan (EMP) in compliance with prescribed statutory norms and standards.	Water sprinkling on haul road with the help of water tankers for dust suppression being carried out regularly and dry fog system are installed in the screen & crusher plants. Retaining walls 526 m along with garland drain (482 m) has been constructed all around the mines dump which is sub-grade in nature to prevent mines run-off water to the nearby water bodies. Other necessary measures have also been implemented like gully plugs at regular intervals etc. The details of the Retaining wall and Dump details given bellow Table - 1 & 2.
		Regular maintenance of HEMMs and other vehicles are being carried to ensure the maximum reduction in noise pollution and create an efficient environment for employees to work for. There are no such OB dumps, there are 5 nos. of sub grade dumps which are
		stabilized at ear marked area with proper sloping and terracing, and coir matting for better stabilization. The photos regarding the same has been shown as below in Photo —3 and 4.
2	The applicant will take necessary steps for socio economic development after a detailed Primary Socio-economic Survey of the people of Core area on need based assessment for providing employment, education, health, drinking water and sanitation, road and communication	Different projects has been undertaken in consultation with "JANASADHANA" for the socio-economic development of the local belongs to adjoining villages with development of Infrastructure, Health, Sanitation, Education, drinking water & sanitation etc. All the financial

facilities etc. A report is to be submitted by the proponent to SEIAA regularly on 1st June and 1st December of each calendar year. details are provided **Table No-03** and socio-Economic Development Activities are as follows which is in practice on continual basis:

<u>INFRASTRUCTURE -</u>

- Repairing and black topping of Village Road connecting Road from Deojhar to Murgabeda being carried as & when required.
- Repairing of interior village roads.

EDUCATION

- The school at village Murgabeda got improved by providing the teaching facility with the appointment of teachers from 2009 onwards.
- We are providing teachers at Mahadevnasa, Kuldum Village primary school from 2010.
- We have appointed one teacher at Sialijoda primary school in 2013.
- Renovation of school building & Angnabadi compound wall, etc.
- Additional School Bus provided to adjoining villages.
- Additional teachers have been posted in the adjoining villages.
- Distribution of Uniforms, Books, slates, pencil, etc. to the school students.
- Mid day meal is being provided at free of cost for class IX & X at Deojhar High School.
- Facilitating the Independence & Republic Day functions at adjoining schools by funding the entire celebration by extending

various tournaments among school children.

HEALTH

- Health-Check-up camp covering adjoining villages and free supply of medicines have been conducted.
- Extending the Dispensary along with the ambulance facility to local villages with the availability Doctor& Staff and free medicine.

DRINKING WATER FACILITY & SANITATION

- 2. No's of deep bore wells got provided at village Murgabeda and one deep bore well for Silijoda village.
- Regular & periodical supply of drinking water to the adjoining villages with the water tankers.

OTHER PERIPHERAL ACTIVITIES

- Murga Mahadev Temple renovation work (Bathing area has been tiled & guard bars, Cloth changing room, Glazed tiled Bench, etc) already completed.
- Regular maintenance of temple housekeeping, etc.
- Conducting game and entertainment programmed for local villagers.

EMPLOYMENT OPPORTUNITIES

- Locals from adjoining villages are engaged in various activities of mines.
- Besides the above Temple

		 maintenance staff comprises 3.No. of Lady Employees are from Local villages. Posting of additional teachers in schools from locality. Development of self-help groups for villagers is under planning.
3	The applicant will comply with the points concerns and issues raised by the people during public hearing on 4 th February, 2009 in accordance with the commitments made by him thereon.	We have full-filled the commitment regarding the demands raised during the public hearing and compliance are made as per the commitments i.e. Infrastructure development, Health, Sanitation, Education, etc. All the raised points are addressed and complied. The details have been attached here in Table - 4 .
4	The applicant will take statutory clearance/approval/permissions from the concerned authorities in respect of his project as and when required.	Necessary statutory clearances/approval/permissions from the concerned authorities have been obtained such as: Consent to Operate from SPCB, Ground Water Permission from CGWA, Hazardous waste authorization, approved mining plan from IBM, Forest clearance from MoEF, etc. Forest Clearance from MoEF (copy attached as Annexure – 2), Consent to Operate from SPCB, Orissa vide letter No.: 2603/IND-I-CON-1373 date 14.03.2019 (copy attached as Annexure – 3), Approved Mining Scheme from IBM for the period 2019-20 to 2023-24 vide letter No.MS/FM/39-ORI/BHU/2018-19/2501 dated. 25.01.2019 (copy attached as Annexure – 4).
5	For post environmental clearance monitoring, the applicant will submit half yearly compliance report in respect of the stipulated terms and conditions of this Environmental Clearance to the State	Half yearly compliance is being submitted as per the EC conditions on time to time basis. The half yearly compliance status reports are as follows: Table no.05.

	Environmental Impact Assessment	
	Authority (SEIAA), Orissa on 1st June and	
6	1stDecember of each calendar year. The core zone should be monitored intensively with no. of stations as	The project has already established for the monitoring of AAQ in the core as
	prescribed by CPCB, Delhi and unit of	well as buffer zone of the ML area. There
	pollutant level should be expressed as	is 1 no. of monitoring station in core zone
	NAAQ of CPCB, Delhi. The detail	i.e. Mines Office and there are 5 no. of
	methodology adopted for analysis of	Monitoring stations in the buffer zone
	samples shall be cleared indicated.	such as, Deojhar Village, Murgabeda
		Village, Mahadev nasa village, Boneikela Village and Bhadrasahi village. Monitoring of AAQ is being carried out every month except during monsoon. The monitoring reports are
		well within the norms as per NAAQS notification made by the CPCB. The
		detailed report of the AAQ is attached
7		in Annexure - 5.
7	The proponent shall submit ground toothing baseline data on flora and fauna	The site specific Wildlife Conservation Plan has been prepared by Mr. P.K. Sarangi Ptd JES Officer & get approved
	and CSR activities already carried out within three months to the SEIAA, Orissa.	Sarangi, Rtd. IFS Officer & got approved by PCCF (Wildlife), Chief Wildlife Warden, Odisha. The project has estimated cost of Rs. 54 Lakhs which includes cost for both buffer zone i.e. Rs. 41 Lakhs which is already deposited through RTGS No. BARBH4179631316 dated. 28.06.2014 in favor of CA Fund and core zone i.e. Rs. 13 Lakhs for the conservation and management of wildlife.
		Project proponent has appointed 4 nos. of watchers for protection of wild animals with the expenditure of Rs. 3.8 Lakhs/annum. Apart from that, the project proponent has constructed check dam & check weirs to restrict the mixing of undesired substances in nearby streams & also established guard

		wall along the sides of nallas. The copy of the same is attached as Annexure — 6 (approval letter).
8	No two pits shall be simultaneously worked. After exhausting the first mine pit and before starting mining operations in the next pit, reclamation and plantation works in the exhausted pit shall be completed so as to ensure that reclamation, forest cover and vegetation should be visible during the first year of mining operations in the next pit. This process will follow till the last pit is exhausted. Adequate rehabilitation of mined pit shall be completed before any new ore body is worked.	There is only one mines pit i.e. Pit No1 which is still active. The project is operating according to the above mentioned condition and following as per the approved mining scheme/plan including PMCP as approved by IBM.
9	Adequate buffer zone shall be maintained between two consecutive mineral bearing deposits.	There is only one mines pit and the project has maintained the safety zone of 7.5 m width around the ML boundary. In this regard, the project has covered the dumps with application of mixed grass seeds along the slopes to stabilize and also to reduce wash off in case of rains during monsoon. The project has done 41, 770 numbers of saplings in and around the ML area till the reporting period out of which 500 Nos. have has been planted in the reporting period with different varieties of native species in the safety zone, & peripheral area of ML photo of the same is attached as photo – 4 & 7 . Plantation details have been given in table – 6 .
10	Zero waste mining concept shall be implemented either by putting up pelletisation plant or disposal of low grade ores/fines to prospective buyers.	Due to the incorporation of better & efficient machineries and latest technologies, we ensure that zero wastes will be coming out due to the mining activity. Steps have been initiated to work out in this context.

11 The following shall be implemented	viz. (a) The project has taken the following steps
dump run off should be diverte	
settling ponds until it is clear (b) ad	.
rain water harvesting and ground	
recharging facilities should be dev	, , ,
in the core zone, (c) attempt sho	
made to achieve zero water balanc	·
made to deflieve zero water balanc	b. We have implemented the roof
	top rain water harvesting
	structures and settling pits cum
	harvesting structures in the mines
	areas towards recharge of the
	ground water.
	c. Steps have been taken to
	achieve zero water balance like
	implementation of STP (Ultra
	Filtration Unit) for treatment of
	domestic effluent and reuse of
	the treated water for mines dust
	suppression and nearby
	gardening purpose.
Maintenance of roads through	, ,
transportation of ores are undertake	en shall transportation approach roads and
be carried by the project regularly	y at its regular maintenance of the main
own cost.	approach road along with the mines
	haul roads are being carried out by
	engaging the grader periodically, the
	roads are without ruts & potholes. The
	project is also ensuring the tarpluin
	covers over the loaded trucks so as to
	prevent the spillage of the materials. The
	Project authority are regularly monitoring
	the emission of the vehicle to ascertain
	whether the vehicle meet the pollution
	norms.
	The photo of the same is attached as
	photo # 13.
13 Fugitive dust generation sha	ll be There is regular monitoring of the Fugitive
controlled. Fugitive dust emission s	hall be dust emission. The project has taken
regularly monitored at locations of I	
	nearest adequate measures like dry fog system

	other public amentias located nearest to sources of dust generation as applicable) and records shall be submitted to the SEIAA, Orissa.	haulage roads etc. towards dust suppression purposes. The project has established the monitoring of fugitive dust in the mining lease area, there are 6 no. of monitoring station i.e. Mines Pit, Mines haul road, screening plant, Workshop, Mines Office and Crusher area. Monitoring of AAQ/FD is being carried out in different locations of nearest human habitation in consultation with SPCB. The monitoring report reveals that the parameters are well within the norms made by the SPCB.
14	Transportation of ore shall be done by covering the trucks with tarpaulin or other suitable mechanism so that no spillage of ore /dust takes place.	The analysis report of the same is attached as Annexure - 9 . The steps are being followed by proper care towards public roads to ensure that the trucks should not be overloaded during transportation: besides these trucks are being covered with tarpaulins while transportation of the iron ore. Time to time awareness program is being carried out for the operators/drivers etc.
15	Rain water harvesting shall be undertaken to recharge the ground water source.	towards the same. Photo of the same is attached as photo # 13 . In the entire area, where ever possibility of wash off, flow of sediments etc. is anticipated retaining wall, garland drain, check weirs, & check dams have been provided apart from that the roof top rain water harvesting structure got implemented towards augmentation of ground water in the camp area. Photo of the same has been attached as
16	Monitoring of ground and surface water quality shall be regularly conducted and records should be maintained and data shall be submitted regularly to SEIAA, Orissa.	Photo — 12. There is regular monitoring of the ground water quality on quarterly basis, as per the monitoring locations there are 7 nos. of locations and monitoring of the surface water quality is also being carried out in 6 locations. The records

		are also maintained for this purpose &
		it's being monitored 4 times in a year i.e.
		pre-monsoon, monsoon, post monsoon
		and winter.
		The monitoring of ground and surface
		water quality records submitted to
		SEIAA, Orissa on half yearly basis and
		Regional Office of MoEF, Bhubaneswar.
		The results reveals all the test results are
		very well within the norms prescribed by
		the SPCB/CPCB/MoEF/CGWA. The
		analysis report of the same is attached
		as Annexure – 10 & 11 .
17	The proponent shall ensure that no silt	The project has provided necessary
	originating due to mining activity is	precautionary measures like siltation pit
	transported in the surface water course.	towards protection of silt carry over into
	Measures for prevention and control of soil	the nearby surface water bodies
	erosion and management of silt shall be	followed by retaining walls and garland
	undertaken. Protection of dumps against	drains at the toe of the dumps. Apart
	erosion shall be carried out with geo-	from that interference like guard wall all
	textile matting or other suitable material,	across the bank of the nallah, a length
	and thick plantations of native trees and	of 380 mtr. and check weirs at the
	shrubs shall be carried out at the dump	strategic locations are provided.
	slopes. Dumps shall be protected by	Stabilization of the dumps being done
	retaining walls.	with the application of mixed grass
		seeds towards vegetation and dump
		slope stabilization. The photos regarding
		the same have been attached as Photo
		2,8, 9 & 10.
18	Trenches garland drains shall be	To arrest silt from mines run off, a number
	constructed at foot of dumps to arrest silt	of catch drains and settling cum
	from being carried to water bodies.	percolation pits have been constructed
	Adequate number of check dams shall be	with garland drains around the mines
	constructed across seasonal or perennial	working areas. Nallah protection guard
	nallah (if any) flowing through the ML area	walls have also been constructed across
	be arrested. De-silting at regular intervals	the length of the nallah. Time to time de-
	shall be carried out.	silting is followed before each monsoon.
19	Provisions shall be made for the housing	The is no such housing being made for
	the labours within the site with all	the labours within the lease area
	necessary infrastructure and facilities such	however the project has commonly
L	,	j

as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. the housing may be in the form of temporary structures to be removed after the completion of the project.

created a temporary housing facility for the work force by facilitating fuel for cooking, septic tank followed by soak pit for domestic effluents (STP-Ultra Filtration Unit), drinking water, medical health care etc.. The photograph of the temporary housing structure along with STP-Ultra Filtration Unit facility has been shown **in Photo** — 11.

20 Occupational health and safety measures for the workers including identification of work related health hazards, training on malaria dust eradication, HIV, and health effects on exposure to respirable mineral dust etc. shall be carried out. The proponent shall engage a full time qualified doctor who is trained in occupational health. Periodic monitoring for exposure to respirable mineral dust on the workers shall be conducted and records maintained including health records of the workers. **Awareness** program for workers on impact of mining health and precautionary their measures like use of personal equipment's etc. shall be carried out periodically. Review of impact of various health measures undertaken (at interval of five years or less) shall be conducted followed by follow up action wherever required.

Occupational Health center shall be

established near the mine itself.

Initial Medical Examination & Periodical Medical Examination of the workers engaged in the project is being undertaken periodically for permanent and outsider employees along with the pre-medical examination of persons employed, who are engaged in the process of mining & are likely exposed to dust to observe any contractions due to exposure to dust. This is being carried as per in compliance to Mines Act 1952 & rules 1956 and amendments there to. The various tests include PFT, X-Ray, and lung spirometry etc.

During the reporting period only 02 Nos. of PME carried out and no IME carried out and on the basis of the tests there is none of the above mentioned employees was found by Silicosis/Pneumoconiosis or occupational health related diseases. A sample PME report of an employee is attached as **Annexure-7**.

	T	
21	Shelter belt i.e. (wind break of 15m width and consisting of at least around the lease facing the human habitation, school/agricultural fields etc.) if any in the vicinity in the safety zone/backfilled and reclaimed areas, around voids and roads shall be raised. Green belt development and selection of plant species shall be as per SPCB guidelines. Density of trees has to	There are no such human habitation/schools etc. within the ML area. However, the project has covered all the sub-grade dumps with plantation with native species and application of mixed grass seeds along the slopes to stabilize and also to reduce wash off in case of rains during monsoon. A safety zone of 7.5 m width around the
	be around 2500 plants per hectare, herbs and shrubs shall also form a part of afforestation program besides tree plantation. Help and guidance of local DFO may be sought in the matter. Details of year wise afforestation program including rehabilitation of mined out area shall be submitted to the SEIAA, Orissa within six months.	ML boundary is being maintained. The project has done 41, 770 numbers of saplings in and around the ML area with different varieties of native species in the safety zone, & peripheral area of ML.
22	This environmental clearance is subjected to forest clearance under the Forest (Conservation) Act, 1980.	The forest clearance has been obtained over an area of 34.365 ha vide MoEF letter no: F No.8-216/1992-FC dated 31st March 1993. As per the present circular dated 01.04.2015 from MoEF, Govt. of India the forest clearance over 34.365 Ha will be extended up to the coterminous of the extended lease period.
23	The mining operation shall be restricted to above ground water table and it should not intersect the groundwater table.	The Project proponent working at a depth of 590 aMSL which is far above the ground water level and ground water level exist 540 aMSL. The ultimate depth of the bottom of the approval Mining Scheme is at 548m RL. Therefore, intersection of ground water table during the whole life of the ML area shall not be obstructed. However, the Project has carried out a detailed study on hydrology and hydro-geological aspect of the area through an expert agency and base line data developed for future reference.

24	The top soil shall temporarily be stored at	There is no generation of the top soil	
	earmarked site(s) only and it should not be	during mining operations. In case of top	
	kept unutilized for long (not more than 3	soil generation generated in future, it	
	years). The topsoil shall be used for land	should be stored in an earmarked area	
	reclamation and plantation.	and necessary precaution may be	
		taken to preserve its nutrient values.	
25	The over burden (OB) generated during	There are 5 nos. of sub-grade dumps	
	the mining operation shall be temporarily	which has grade value more than 45 %	
	stacked at earmarked dump site(s) only	of Fe i.e. marketable grade. The sub-	
	and it should not be kept active for a long	grades are stacked in an identified area	
	period of time and its phase-wise	inside ML area by maintaining proper	
	stabilization shall be carried out. Proper	slope. All the Sub-grade dumps have	
	terracing of OB dump shall be carried out	been planted along the slope to	
	so that the overall slope shall not exceed	stabilize and also to reduce wash off in	
	28° Back filling shall be done as per	case of rain cut during monsoon. Coir	
	approved mining plan; back filling to start	matting in the sub-grade dumps has	
	from 3rd year onwards of the mining	been provided and their material is 100	
	operations and the entire quantity of waste	% biodegradable.	
	shall be backfilled and liquidated within	The project has done 41, 770 numbers of	
	five years. There shall be no external OB	saplings till date, in and around the ML	
	dumps after the 6th year of the mining	area with varieties of native species in	
	operations. The backfilled area shall be	the safety zone, & peripheral area of ML.	
	afforested. Backfilling has to be done in a	As per back filling, monitoring and	
	manner that it is restored to the normal	management of rehabilitated area is	
	ground level. Monitoring and	concerned, the project will abide by the	
	management of rehabilitated areas should	conditions as per the approved mining	
	continue till the vegetation is established	scheme and progressive mine closer	
	and becomes self-generating compliance	plan. Monitoring and management of	
	status to be reported to the appropriate	rehabilitated areas will be continued	
	authorities.	until vegetation becomes self-sustaining.	
		The other details are mentioned in the	
		specific condition no. xi and in table 7.	
26	The funds earmarked for the environment	The funds earmarked for environmental	
	protection measures shall be judiciously	protection are being utilized for the	
	utilized. Under no circumstances this funds	same. The year wise environmental	
	shall be diverted for other purposes. Year	expenses are shown in table No. 08 .	
	wise expenditure for these funds should be		
	reported to the SEIAA, Orissa.		
27	The above mentioned stipulated	We are abiding by the said conditions.	
	conditions shall be complied in time	We are herewith submitting six monthly	
	bound manner. Failure to comply with any	EC compliance reports once in a six	

of	the conditions mentioned above may	month as per the schedule. The details
res	sult in withdrawal of this environmental	have been given by table No. 5 .
cle	earance and attract action under the	
pro	ovisions of Environmental Protection (EP)	
Ac	ct, 1986.	

<u>Tables</u>

Table No. 1 – Retaining Walls Details

SI.No	Location	Length (Meter	Width (Meter)	Height (Meter)
1	Near Pillar no. 2 to 3	73	1.2	1.2
2	Pillar no. 3 to 7	250	1.2	1.5
3	Near Pillar no. 12 to 13	44	1.2	1.6
4	Near Pillar no. 30 to 31	66	1.2	1.5
5	Near Pillar no.17	43	1.2	1.3
6	Near Jindal Road	50	1.2	1.2

Table No. 2 – Dump Details

SI.No	Name of the Dump	Location	Area in Ha.	Quantity
				(CUM)
1	Dump – 1	Near ML Pillar no. 28 - 29	0.876	65700
2	Dump – 2	Near ML Pillar no. 15 - 16	0.382	28650
3	SG – 1	Near ML Pillar no. 29 - 30	0.075	208028
4	SG – 2	Near ML Pillar no. 31	0.866	192582
5	SG – 3	Near ML Pillar no. 3 - 9	1.483	20000

<u>Table No.3 – Year Wise Expenses</u>

SI. No	Description	Expenses in Lakhs							year April-	
		For the Year 2011- 12	For the Year 2012- 13	For the year 2013- 14	For the Year 2014- 15	For the year 2015- 16	For the year 2016- 17	For the year 2017- 18	2018-	April- 19 to Sept-
1	Infrastructure		51.8	2.0	0	0.00	0.58	0.80	0.20	0.00
2	Education	2.33	6.5	4.38	3.1	4.81	5.84	6.01	5.57	3.28
3	Health	1.85	8.3	6.15	4.8	6.91	8.53	8.36	5.01	3.02
4	Drinking Water Facility	1.96	4.5	2.94	2.0	0.18	0.18	2.04	0.45	0.42
5	Other Peripheral Activities	1.60	1.7	2.98	1.8	1.47	1.089	3.520	2.34	1.58
6	Employment	99.80	31.5	117.94	58.5	0.00	0	0	0	0
7	Total	107.56	104.3	136.39	70.20	13.37	16.219	20.73	13.57	8.3

Table No. 04: Compliance to the points raised in Public Hearing

SI. No.	Public Hearing consents by the Project Proponent	Compliance Status
1	The Project Proponent assured with consultation with Govt. department and as per their advice they will adopt all the measures to keep the sound pollution under control especially during blasting.	Due to availability of soft material there is no blasting is being carried and the excavation work is carried out by engaging excavators only. Anyhow noise is being monitored and the results are well within the prescribed norms, copy is enclosed in Annexure -1 .
2	To construct Check dam for Mahadev Nasa Nalla and for this the project proponent invited the village committee to come with a proposal for the same.	We ensure that natural watercourse of Mahadev Nalla will not be obstructed due to our mining operations. Necessary precautionary measures were well taken in consultation with Govt. bodies to avoid any sort of interference like providing guard wall & check weir at bank of Mahadev Nallah.
3	Suitable dump management system to minimize the pollution and all wastes are being dumped inside the lease area.	Sub grade is being stacked in an identified area inside ML Area by maintaining proper terracing & slope. It has also developed with garland drain and retaining wall along with native sapling plantation for stabilization of critical areas of dump.
4	Company has formed an Environment cell and they are monitoring this on regular basis to keep this under control.	A separate environmental management cell is in operation under the control of Mines Manager, which is looking after all environmental activities including Environmental Monitoring.
5	The Project proponent will give priority in employing skilled local people such as drivers, drillers, operators, etc. according to their qualification.	Local peoples are being given priority in employing skilled local people such as drivers, drillers, operators, etc. according to their qualification.

6	The Project proponent assured that they will re-open all the schools in Murgabeda Village those are not running at present and will appoint 4 teachers in those Schools on permanent basis.	The School is running effectively with engagement of teaching facilities with appointment of teachers. Study materials like books, slates, pencils etc. are being provided. Mid-day meal is provided at free of cost for class IX & X at Deojhar High School. Bus facility is being provided for Deojhar high school and for Sarswati Sisu Mandir, Bileipada.
7	The project proponent is already supplying drinking water to Murgabeda villages through water tanker and will continue this facility.	2 no. of bore wells with drinking water facilities are provided for the villagers of the Muragbeda, about a population of around 1000 no's.
8	The Project proponent is ready to construct inter village connecting roads in Murgabeda village and they invited proposal from the village committee for the same.	Inter connecting village roads are made up of black top in length of 1.8 Km to suppress the dust. The photo of the same is enclosed as photo 5.
9	The project proponent has already opened a dispensary here for locals for availing medical facility free of cost where a doctor is available. One Ambulance is always available there at service.	Medical facilities like dispensary and ambulances are being provided. Medical health camp is being organized at regular intervals for the local villagers with free of cost medicines. The photo of the same is enclosed as photo 6.
10	Regarding electrification of villages, we have requested the concerned Village committee along with Sarpancha to come forward with the latest status and the proposal so that they can support and assist the village committee for electrification.	It is being carried out with the village committee members by providing materials for Street Light Connections to nearby villages.

11	The Project Proponent assured that they are following all the Govt. rules regarding employment and statutory payments.	It is being followed.
12	The project proponent requested the Murgabeda Temple committee to come with a proposal so that they can consider for its renovation.	Temple renovation work is completed with the proposals of Temple Committee members. The bathing area has been developed with anti-slippery tiles and guard bars and a cloth changing room have provided. Two male and three female labours have deployed for proper up- keep of the temple.

Table 5 – Six Monthly Compliance Submission details

SI.No	Compliance Time Period	Date of Submission
1	October 2018 to March 2019	25.04.2019
2	April 2018 to September 2018	20.11.2018
3	October 2017 to March 2018	30.05.2018
4	April 2017 to September 2017	25.11.2017
5	October 2016 to March 2017	25.05.2017
6	April 2016 to September 2016	19.11.2016
7	October 2015 to March 2016	25.05.2016
8	April 2015 to September 2015	16.11.2015
9	October 2014 to March 2015	26.05.2015
10	April 2014 to September 2014	22.11.2014
11	October 2013 to March 2014	25.05.2014
12	April 2013 to September 2013	25.11.2013

Table 6- Plantation Details

	Deojhar Iron Ore Mines of M/s Tari	ni Minerals (P) Ltd.
SI.No	Year	No. of Sapling
1	2004 – 2005	1900
2	2005 – 2006	1200
3	2006 – 2007	2000
4	2007 – 2008	2400
5	2008 – 2009	3100
6	2009 – 2010	3623
7	2010 – 2011	2050
8	2011 – 2012	1727
9	2012 – 2013	6000
10	2013 – 2014	6050
11	2014 - 2015	1100
12	2015 - 2016	Nil
13	2016 - 2017	1300
14	2017 - 2018	8020
15	2018-2019	800
16	2019-2020 (April to Sept-19)	500
	Total	41,770

Table 7-Environmental Measures Details

SI.No	Measures taken	Location	Dimensions
1	Retaining Wall	Near Pill No. 2 – 3	73m x 1.2m x 1.2m
		Pillar No. 3 – 7	250m x 1.5m x 1.2m
		Near Pillar No. 12 – 13	44m x 1.6m x 1.2m
		Near Pillar No. 30 – 31	66m x 1.5m x 1.2m
		Near Pillar No. 17	43m x 1.3m x 1.2m
2	Garland drains in the		482m x 1m x 1m
	above location		
3	Check Weir	Near Sub – grade dump	3240 CUM
		Near SG dump – 1	252 CUM
		Near SG dump – 1	230 CUM
4	Check dam cum de-silting		3600 CUM
	pit cum percolation pit		
5	Guard wall across the		380m x 1.5m x 1.2m
	nallah		

Table 8-Details of Environmental Expenses


Envi	Environmental Expenditure of Deojhar Iron Ore Mining Project of M/s. Tarini Minerals Pvt. Ltd, District, Keonjhar, Orissa.								
		Cost, Rs. In Lakhs							
SI. No.	Activity	2011- 2012	2012- 2013	2013- 2014	2014- 2015	2016- 2017	2017- 18	2018- 19	2019-20 (April- Sept-19)
1	Dry-fog system nstalled & maintenance	4.00	1.00	0.16	0.05	0.40	0.30	0.20	0.10
2	Arrangement of wetting provision at drilling machine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	Water tankers two no's for water sprinkling	4.70	4.10	4.71	3.55	2.70	2.35	2.00	1.00
4	Plantation program with maintenance cost	1.43	2.60	0.58	0.85	0.15	1.89	0.50	0.25
5	Purchasing & monitoring equipment's	0.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	Occupational Health & Hygiene	5.74	3.45	5.13	3.00	6.91	8.36	5.01	3.02
7	Rain water harvesting structures	4.45	0.20	0.25	0.23	00	0.1	0.1	0.05
8	Check dam, retaining wall maintenance work	2.10	1.80	5.91	1.55	1.00	0.8	0.3	0.00
9	Site specific sewage treatment plant with maintenance	1.20	0.50	0.55	0.45	1.50	0.5	0.2	0.05
10	Dump stabilization with Coir-Geo textiles and vegetation	3.22	12.50	3.66	2.00	0.00	7.2	0.3	0.1
11	Service Centre cum ETP & its maintenance	0.45	1.00	0.55	0.65	0.10	0.10	0.1	0.05
То	tal amount incurred	28.18	27.15	21.5	12.33	12.76	21.6	8.71	4.62


Annexure

Annexure - 1 : Noise Level Monitoring Report

Monthly Average Work Zone and Ambient Noise level Report of Deojhar Iron ore Mines , M/s Tarini Mineral Pvt,Ltd.							
Month	Apr-19	May-19	Jun-19	Jul-19	Aug-19	Sep-19	
Ambient Noise level in o	B(A)						
Village Murgabeda	52.05	52.05	52.05	54.00	54.85	52.50	
Village Mahadev Nasa	55.15	54.00	54.55	54.10	53.05	52.05	
Village Boneikala	53.05	51.55	56.35	53.35	57.85	54.70	
Village Bhadrasahi	53.55	52.50	57.21	54.93	50.60	55.79	
Village Deojhar	52.05	53.91	53.90	54.96	53.55	55.11	
Work Zone Noise Level i	n dB(A)						
Mines Office	66.49	65.55	64.45	68.85	61.95	67.19	
Screening Plant Area	71.98	72.90	76.65	75.51	76.90	76.99	
Loading Point	69.77	74.55	73.45	69.85	72.25	73.68	
Weigh Bridge	67.63	75.05	70.80	72.23	66.30	70.83	

Annexure – 2: Forest Clearance Copy





Annexure- 3: Consent to Operate Copy from OSPCB



CONSENT ORDER
DEOJHAR IRON ORE MINES OF M/S. TARINI MINERALS PVT. LTD...

Page 1 of 13

BY REGD. POST WITH AD

STATE POLLUTION CONTROL BOARD, ODISHA

A/118, Nilakantha Nagar, Unit-VIII, Bhubaneswar-751012
Phone-2561909, Fax: 2562822, 2560955 E-mail: paribesh1@ospcboard.org, Website: www.ospcboard.org

CONSENT ORDER

No. 2603

/ IND - I-CON- 1373

Dt. 14.03.2019

CONSENT ORDER NO. 444

Sub: Consent for discharge of sewage and trade effluent under section 25/26 of Water (PCP) Act, 1974 and for existing / new operation of the plant under

section 21 of Air (PCP) Act, 1981.

Ref: Your Online Application No. 2402344 Dated 06.01.2019 & online reply dated 31.01.2019

Consent to operate is hereby granted under section 25/26 of Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of Air (Prevention & Control of Pollution) Act, 1981 and rules framed thereunder to

Name of the Industry: DEOJHAR IRON ORE MINES OF M/S. TARINI MINERALS PVT. LTD..

Name of the Occupier & Designation: SRI PINAKI MONDAL, MINES MANAGER

Address: AT/PO: GUALI, DIST: KEONJHAR.

This consent order is valid for the period up to 31.03.2024 from the date of issue of this order.

This consent order supersedes the earlier consent order issued vide letter No. 4610 dated 27.03.2017.

Details of Products Manufactured

SI. No	Product	Quantity
01.	Iron Ore	1.5 MTPA

Details of Mineral Handling Plants /Units

01	Operation of stationary crushing plant of capacity 1x400 TPH
02.	Operation of mobile screening plants of capacity 3X 200 TPH

This consent order is valid for the specified outlets, discharge quantity and quality, specified chimney/stack, emission quantity and quality of emissions as specified below. This consent is granted subject to the general and special conditions stipulated herein.

Annexure - 4: Approved Mining Scheme Copy



भारत सरकार GOVERNMENT OF INDIA खान मंत्रालय MINISTRY OF MINES भारतीय खान ब्यूरो INDIAN BUREAU OF MINES क्षेत्रीय खान नियंत्रक के कार्यालय OFFICE OF THE REGIONAL CONTROLLER OF MINES



By. Regd. Parcel / E-M
Phone: 0674-23524
Tele Fax: 0674-23524
ev
ro.bhubaneshwar@ibm.gov
Plot No.149, Pokhari
BHUBANESWAR-7510

No. MS/FM/39-ORI/BHU/2018-19

/2501

Date: 25.01.2019

То

Shri D. R. Patnaik, Managing Director, M/s Tarini Minerals Pvt. Ltd, X-5, Civil Township, Rourkela, Pin-769004, Odisha.

Sub:Approval of Review of Mining Plan of Deojhar Iron Ore Mines over an area of 34.365 ha in Keonjhar district of Odisha of M/s Tarini Minerals Private Limited submitted under rule-17 (2) of MCR, 2016.

Ref: -i) Your letter no. nil dated 19.12.2018.

- ii) This office letter of even no. dated 19.12.2018.
- iii) This office letter of even no. dated 19.12.2018 addressed to the Director of Mines, Govt. of Odisha, copy endorsed to you.
- iv) This office letter of even no. dated 03.01.2019.
- v) Your letter no. nil dated 16.01.2019 received on 18.01.2019.

Sir,

In exercise of the power delegated to me vide Gazette Notification No. S.O. 1857 (E) dated 18.05.2016, I hereby <u>Approve</u> the Review of Mining Plan including Progressive Mine Closure Plan of Deojhar Iron Ore Mines over an area of 34.365 ha of M/s Tarini Minerals Private Limited in Keonjhar district of Odisha State submitted under Rule 17 (2) of Mineral Concession Rules, 2016. This approval is subject to the following conditions:

- The Review of Mining Plan is approved without prejudice to any other law applicable to the
 mine area from time to time whether made by the Central Government, State Government or
 any other authority and without prejudice to any order or direction from any court of
 competent jurisdiction.
- II. The proposals shown on the plates and/or given in the document is based on the lease map /sketch submitted by the applicant/ lessee and is applicable from the date of approval.
- III. It is clarified that the approval of aforesaid Review of Mining Plan does not in any way imply the approval of the Government in terms of any other provision of Mines & Minerals (Development & Regulation) Act, 1957, or the Mineral Concession Rules, 2016 and any other laws including Forest (Conservation) Act, 1980, Environment (Protection) Act, 1986 or the rules made there under, Mines Act, 1952 and Rule & Regulations made there under.
- IV. Indian Bureau of Mines has not undertaken verification of the mining lease boundary on the ground and does not undertake any responsibility regarding correctness of the boundaries of the leasehold shown on the ground with reference to lease map & other plans furnished by the applicant / lessee.

Contd. Page-2

Annexure - 5 - Summarized AAQ Report

Deojho	Deojhar Iron Ore Mines of M/s Tarini Minerals Pvt. Ltd.							
Summerized M	onthly Avera	ge Ambien	Air Quality	Monitoring Re	port			
Sampling Location	Month	Amb	pient Air Qua	lity Paramete	rs in µgm/	m³		
Jamping Location	74.011111	Range	P.M-10	P.M2.5	SO ₂	NOx		
	Apr-19	Avg.	66.86	23.50	9.99	11.39		
	May-19	Avg.	72.88	25.88	8.59	10.05		
Mines Site office	Jun-19	Avg.	75.88	27.25	10.80	12.14		
Willes Sile Office	Jul-19	Avg.	65.75	27.63	11.08	12.15		
	Aug-19	Avg.	67.25	23.50	9.99	11.39		
	Sep-19	Avg.	45.13	19.63	10.48	11.71		
	Apr-19	Avg.	65.13	23.50	10.04	11.08		
	May-19	Avg.	75.25	26.50	8.36	10.09		
Village Deojhar	Jun-19	Avg.	64.25	30.38	9.19	10.56		
Tillage Deojilal	Jul-19	Avg.	63.00	25.75	10.41	11.49		
	Aug-19	Avg.	65.13	23.50	10.04	11.08		
	Sep-19	Avg.	43.25	17.63	9.44	10.44		
	Apr-19	Avg.	64.88	24.13	10.73	11.91		
	May-19	Avg.	71.13	25.00	8.21	9.69		
Village Murgabeda	Jun-19	Avg.	81.88	28.50	11.83	12.78		
Village Morgabeda	Jul-19	Avg.	62.25	26.25	10.30	11.83		
	Aug-19	Avg.	64.88	24.13	10.73	11.91		
	Sep-19	Avg.	45.88	20.13	9.38	10.46		
	Apr-19	Avg.	67.00	27.63	11.00	12.43		
	May-19	Avg.	72.75	25.75	9.41	10.63		
Village Mahadev Nasa	Jun-19	Avg.	70.00	23.63	11.10	12.51		
Village Manadev Nasa	Jul-19	Avg.	65.75	26.63	10.81	11.89		
	Aug-19	Avg.	67.00	27.63	11.00	12.43		
	Sep-19	Avg.	41.63	22.75	10.51	11.61		
	Apr-19	Avg.	62.38	27.00	10.25	11.83		
	May-19	Avg.	68.75	25.63	9.43	10.89		
Village Baneikala	Jun-19	Avg.	72.13	39.75	10.79	12.71		
village ballelkala	Jul-19	Avg.	62.75	25.88	9.81	10.93		
	Aug-19	Avg.	62.38	27.00	10.25	11.83		
	Sep-19	Avg.	44.38	19.00	10.33	11.49		
	Apr-19	Avg.	66.38	27.13	10.73	11.60		
	May-19	Avg.	70.25	25.75	9.76	11.08		
Village Bhadrasahi	Jun-19	Avg.	79.75	27.25	10.03	12.24		
village bilaalasalii	Jul-19	Avg.	62.75	24.75	9.71	10.53		
	Aug-19	Avg.	66.38	27.13	10.73	11.60		
	Sep-19	Avg.	40.13	17.75	10.20	11.51		

Note – The above tests are carried by B.S Envi. Tech P. Ltd Laboratory & its accredited by NABL and MoEF&CC.

Annexure – 6 : Wild Life Conservation Plan Copy

	WARDEN,ORISSA5 TH FLOOR, B.D.A. APARTMENT, PRAKRUTI BHAWAN, NILAKANTHA NAGAR, BHUBANESWAR-751012.
	Memo No 1238 Dt. 15.2.2010
	To
	The Chief Conservator of Forests (Nodal), O/o the Principal CCF, Orissa, Bhubaneswar.
	Sub: Approval of Site Specific Wildlife Conservation Plan for Deojhar Iron Ore Mines in village Deojhar in Keonjhar district
	Sir,
	I am directed to inform you that the Site Specific Wildlife Conservation Plan for Deojhar Iron Ore Mines in village Deojhar in Keonjhar district of M/s Tarini Minerals Pvt. Ltd. has been approved by PCCF(WL) & Chief Wildlife Warden, Orissa with financial forecast of Rs. 54.00 lakhs for the following activities.
-	For activities to be implemented by User agency in Project Area
	2. For activities to be implemented by
-	DFO, Keonjhar Division in the Project Impact Area
	Total Rs.54.00 lakhs
	User agency will execute activities for Rs.13 lakhs in the lease hold area under the guidance of DFO, Keonjhar Division & Rs.41.00 lakhs may be deposited with DFO, Keonjhar division under CAMPA for activities to be executed by DFO in the zone of influence. Conservator of Forests (WL)
	Conservator of Forests (WL)
7	Memo No. 1239 dt. 15-2-2010 Copy forwarded to the DFO, Keonjhar Division for information & necessary action with reference to Memo No. 2562 dt. 8.709 of CF., Rourakela Circle.
7	
	Drw.
5	Memo No. 1240 Dt. 15.2.2010 Conservator of Forests (WL)
	Copy forwarded to CF, Rourkela Circle for information & necessary action with reference to his office Memo No. 2561 dt 8.7.09
	Nun/
	Memo No. 1241 dt. 15.2.2010 Conservator of Forests (WL)
	Memo No. 15. 2.2010 Conservatorior Forests (WL)
- /	Copy forwarded to the M/s Tarini Minerals Pvt. Ltd, Bonikela, Joda, Keonjhar for information & necessary action with reference to his letter dated 22.9.09.
- / F	mc. One side, appeared 5-1. M. Cans covardo Diden Conservatoros Forests (WL)
_ /	W Canpervato Dilen John
	Conservator of Forests (WL)

Annexure – 7 : Sample PME Report of an Employee

	FORMO
	Report of Mills Rule 29 F (2) and 29 L]
	report of Medical Examination Under Bull of B
	(To be issued in Triplicate)**
CERTIF	T- 5888
	d that Sri/Spot employed as the state of the
Certifie	d that Sri/Spat employed as
form B	No
examina	ation. He/she* appears to be
The fine	ation. He/she* appears to be
Sir/Shrin	dings if the examination authority are given in the attached sheet, it is considered that
	MR BIBHUTI BHUSAN BARIK
	1
	(a)* is medically fit for any employment in mines
	(b)* is suffering from
	and is medically unfit for
	and the state of t
	(ii) any employment below ground, or
	(iii) any employment or work
cured/cont	
He/She* w	ill appear for re-examined with the result of test of
***************************************	and the opinion of
be permitte	and the opinion of
	period.
	Paralin Suga
TO SEE	ANLAL SINGH, M.B.B.S. Signature of the Examining
ARRES	Dr. RAMARPHESINGH MRRS
A STATE OF THE STA	Reg No 12571 (R M C)
	Trained in-Occupational Health Name and Designation in Block Letters
	200 gradien in Block Letters
Place: HI-T	ECH DISCUSSION
Date:	ECH DIAGNOSTIC CENTRE JODA
	1018119
* Delete v	whatever not applicable
Original	- 10 he kent with F
Yellow C	copy - To be sent to the concerned Manager of the Mine.
	and of the lyline.

Annexure - 8: PUC Certificate Copy of Vehicle



Annexure - 9: Fugitive Dust Monitoring Report

Deojhar Iron Ore Mines of				
Monthly Average Fugitiv			ust Monitoring	
Sampling Location	Month	Parameters in µgm/m ³		
	Apr-19	Avg.	504.50	
	May-19	Avg.	600.50	
Mines Bench/ Mines Face	Jun-19	Avg.	669.00	
Milles BellCII/ Milles race	Jul-19	Avg.	642.00	
	Aug-19	Avg.	557.50	
	Sep-19	Avg.	415.00	
	Apr-19	Avg.	452.00	
	May-19	Avg.	580.50	
Haulage Road	Jun-19	Avg.	633.00	
nadiage kodu	Jul-19	Avg.	554.00	
	Aug-19	Avg.	464.00	
	Sep-19	Avg.	327.50	
	Apr-19	Avg.	551.50	
	May-19	Avg.	672.00	
Screening Plant	Jun-19	Avg.	678.50	
Screening Florin	Jul-19	Avg.	568.50	
	Aug-19	Avg.	574.50	
	Sep-19	Avg.	446.00	
	Apr-19	Avg.	568.50	
	May-19	Avg.	684.00	
Crushing plant	Jun-19	Avg.	702.50	
Crosning plant	Jul-19	Avg.	749.00	
	Aug-19	Avg.	627.50	
	Sep-19	Avg.	383.50	
	Apr-19	Avg.	383.50	
	May-19	Avg.	525.00	
Ore Storage & loading Area	Jun-19	Avg.	525.50	
Ole Sidiage & Iduality Alea	Jul-19	Avg.	518.00	
	Aug-19	Avg.	461.00	
	Sep-19	Avg.	275.50	
	Apr-19	Avg.	400.00	
	May-19	Avg.	534.50	
Wasta Division	Jun-19	Avg.	552.00	
Waste Dump	Jul-19	Avg.	524.00	
	Aug-19	Avg.	347.00	
	Sep-19	Avg.	256.00	

Annexure – 10 : Ground Water Monitoring Report

	Deojhar Iron Ore Mines											
	M/s Tarini Minerals Pvt. Ltd.											
	Quarterly Ground Water Quality Report											
Apr-19												
	Location		Vill. Murgabeda	Vill. Daldir	Vill. Mahad ev Nasa	Vill. Deojhar	Vill. Bileipada	Inside ML Area				
SI. No.	Test Parameter	Unit s		Result								
1	Odour		Agreeable	Agreeab le	Agreea ble	Agreeabl e	Agreeable	Agreeable				
2	Colour	Haze n	<5	<5	<5	<5	<5	<5				
3	рН		6.9	6.92	6.8	7.12	6.82	6.92				
4	Turbidity	NTU	< 1	< 1	< 1	< 1	1	< 1				
5	Total Hardness as CaCO3	mg/l	45	253	222	202	253	260				
6	Iron as Fe	mg/l	< 0.05	0.05	0.08	0.02	0.12	0.04				
7	Chlorides as Cl	mg/l	18	82	45	26	85	72				
8	Total Dissolved solids	mg/l	90	512	415	450	441	505				
9	Calcium as Ca	mg/l	12.5	72	56	45	72	71				
10	Magnesium as Mg	mg/l	3.4	18	20	22	18	20				
11	Sulphate as SO4	mg/l	8	15	18	18	56	78				
12	Nitrate as NO3	mg/l	7.1	6.1	4.5	6.1	27	31				
13	Flouride as F	mg/l	0.2	0.26	0.26	0.45	0.42	0.25				
14	Total Alkalinity as CaCO3	mg/l	26	248	242	242	151	157				
15	Boron as B	mg/l	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10				
16	Aluminium as Al	mg/l	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02				
17	Copper as Cu	mg/l	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02				
18	Manganese as Mn	mg/l	< 0.03	0.03	0.04	< 0.03	0.01	< 0.03				
19	Selinium as Se	mg/l	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01				
20	Zinc as Zn	mg/l	0.04	0.9	0.5	0.02	0.2	0.05				
21	Cadmium as Cd	mg/l	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003				
22	Lead as Pb	mg/l	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01				
23	Mercury as Hg	mg/l	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001				
24	Arsenic as As	mg/l	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01				
25	Chromimum as Cr	mg/l	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02				

	Deojhar Iron Ore Mines											
	M/s Tarini Minerals Pvt. Ltd.											
	Quarterly Ground Water Quality Report											
	Jul-19											
	Vill.											
	Location		Vill. Murgabeda	Vill. Daldir	Mahad ev	Vill. Deojhar	Vill. Bileipada	Inside ML Area				
			iviuigabeua	Daluli	Nasa	Deojiiai	Dileipaua	Alea				
SI. No.	Test Parameter	Units	R	Result								
1	Odour	•••	Agreeable	Agreea ble	Agreea ble	Agreeabl e	Agreeable	Agreeable				
2	Colour	Hazen	<5	<5	<5	<5	<5	< 5				
3	рН	••	7.06	6.96	7.02	7.03	6.92	7.24				
4	Turbidity	NTU	< 1	< 1	< 1	< 1	< 1	< 1				
5	Total Hardness as CaCO3	mg/l	40	260	240	230	290	280				
6	Iron as Fe	mg/l	< 0.06	0.08	0.07	0.08	0.12	0.13				
7	Chlorides as Cl	mg/l	24	76	50	35	80	92				
8	Total Dissolved solids	mg/l	102	510	474	406	462	510				
9	Calcium as Ca	mg/l	8.8	72	64	52	84	76				
10	Magnesium as Mg	mg/l	4.4	19.4	19.4	24.3	19.4	21.9				
11	Sulphate as SO4	mg/l	9.2	16	26	16	46	88				
12	Nitrate as NO3	mg/l	6.1	8.2	7.8	9.2	32	25				
13	Flouride as F	mg/l	0.15	0.43	0.46	0.46	0.42	0.46				
14	Total Alkalinity as CaCO3	mg/l	28	260	260	240	166	150				
15	Boron as B	mg/l	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10				
16	Aluminium as Al	mg/l	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02				
17	Copper as Cu	mg/l	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02				
18	Manganese as Mn	mg/l	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02				
19	Selinium as Se	mg/l	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01				
20	Zinc as Zn	mg/l	< 0.02	< 0.02	< 0.02	<0.02	< 0.02	< 0.02				
21	Cadmium as Cd	mg/l	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003				
22	Lead as Pb	mg/l	<0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01				
23	Mercury as Hg	mg/l	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001				
24	Arsenic as As	mg/l	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01				
25	Chromimum as Cr	mg/l	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02				
26	Total Coliforms	CFU/ 100 ml	Absent	Absent	Absent	Absent	Absent	Absent				

Note – The above tests are carried by B.S Envi. Tech P. Ltd Laboratory & its accredited by NABL and MoEF&CC.

Annexure – 11 : Surface Water Monitoring Report

Aiiiic	Deojhar Iron Ore Mines										
	M/s Tarini Minerals Pvt. Ltd. Surface Water Quality Report										
	April-2019										
	Location		Suna Nadi U/S	Suna Nadi D/S	Baitarani River	Nallah U/S	Nallah D/S	Camp Nallah			
SI. No.	Test Parameter	Units	Result								
1	Colour		5	5	5	5	5	5			
2	Odour		Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable			
3	рН		6.9	6.92	7.2	6.92	6.75	6.54			
4	Oil & grease	mg/l	<1	<1	<1	<1	<1	<1			
5	Total Suspend Solids	mg/l	20	34	25	18	20	20			
6	Total Dissolved solids	mg/l	135	154	125	45	68	62			
7	Iron as Fe	mg/l	0.2	0.26	0.1	0.25	0.22	0.28			
8	Flouride as F	mg/l	0.24	0.31	0.14	0.18	0.21	0.17			
9	Boron as B	mg/l	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1			
10	BOD for 3 days at 27°C	mg/l	4	4	2	2	8	5			
11	COD	mg/l	21	22	18	15	32	24			
12	Chlorides as Cl	mg/l	24	28	15	19	27	18			
13	Phosphate as P	mg/l	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1			
14	Sulphide as S ²	mg/l	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1			
15	Sulphates as SO ₄	mg/l	10	15	12	9	15	9			
16	Percent Sodium		36.7	36.8	22.7	26.2	27.5	25.6			
17	Residual Sodium Carbonate	mg/l	Nil	Nil	Nil	Nil	Nil	Nil			
18	Total VolatileSuspended Solids	mg/l	113	14	<10	<10	10	12			
19	Nickel as Ni	mg/l	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02			
20	Copper as Cu	mg/l	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02			
21	Manganese as Mn	mg/l	0.05	0.04	<0.02	<0.02	<0.02	<0.02			
22	Total Chromimum as Cr	mg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05			
23	Selinium as Se	mg/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01			
24	Zinc as Zn	mg/l	0.04	0.04	<0.02	<0.02	<0.02	<0.02			
25	Cadmium as Cd	mg/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01			
26	Lead as Pb	mg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05			
27	Mercury as Hg	mg/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001			
28	Total Arsenic as As	mg/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01			

	Deojhar Iron Ore Mines									
	M/s Tarini Minerals Pvt. Ltd.									
	Surface Water Quality Report July-2019									
	Location	Suna Nadi U/S	Suna Nadi D/S	Baitarani River	Mahadev Nallah U/S	Mahadev Nallah D/S	Jojo Camp Nallah			
SI. No.	Test Parameter Unit s Result									
1	Colour		5	5	5	5	5	5		
2	Odour		Agreeabl e	Agreeabl e	Agreeabl e	Agreeabl e	Agreeabl e	Agreeabl e		
3	pH		6.9	6.92	7.2	6.92	6.75	6.54		
4	Oil & grease	mg/l	<1	<1	<1	<1	<1	<1		
5	Total Suspend Solids	mg/l	20	34	25	18	20	20		
6	Total Dissolved solids	mg/l	135	154	125	45	68	62		
7	Iron as Fe	mg/l	0.2	0.26	0.1	0.25	0.22	0.28		
8	Flouride as F	mg/l	0.24	0.31	0.14	0.18	0.21	0.17		
9	Boron as B	mg/l	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		
10	BOD for 3 days at 27°C	mg/l	4	4	2	2	8	5		
11	COD	mg/l	21	22	18	15	32	24		
12	Chlorides as Cl	mg/l	24	28	15	19	27	18		
13	Phosphate as P	mg/l	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		
14	Sulphide as S ²	mg/l	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		
15	Sulphates as SO ₄	mg/l	10	15	12	9	15	9		
16	Percent Sodium		36.7	36.8	22.7	26.2	27.5	25.6		
17	Residual Sodium Carbonate	mg/l	Nil	Nil	Nil	Nil	Nil	Nil		
18	Total VolatileSuspended Solids	mg/l	113	14	<10	<10	10	12		
19	Nickel as Ni	mg/l	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02		
20	Copper as Cu	mg/l	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02		
21	Manganese as Mn	mg/l	0.05	0.04	<0.02	<0.02	<0.02	<0.02		
22	Total Chromimum as Cr	mg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		
23	Selinium as Se	mg/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
24	Zinc as Zn	mg/l	0.04	0.04	<0.02	<0.02	<0.02	<0.02		
25	Cadmium as Cd	mg/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
26	Lead as Pb	mg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		
27	Mercury as Hg	mg/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001		
28	Total Arsenic as As	mg/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		

Note – The above tests are carried by B.S Envi. Tech P. Ltd Laboratory & its accredited by NABL and MoEF&CC.

PHOTOS



Photo-1: Mobile Water Tanker for dust suppression on mines haul road





Photo-2 &3: Retaining wall along with Plantations at the toe of dump slopes



Photo-4: Plantation on Dump Slopes





Photo-5&6: Inter connecting village roads are made up of black top and 24 x7 Ambulance facilities



Photo-7: Safety Zone Plantation





Photo-8& 9: Settling cum water harvesting pit



Photo-10: Check Weir



Photo-11: STP for treatment of Domestic Waste Water (Ultra Filtration Unit)






Photo-12: Roof top Rain Water Harvesting structure & Recharge pit



Photo-13: Mineral dispatch truck with tarpaulin cover on top